1011-0-0816 CZ 1/3



PRODUCT-DETAILS

### 1011-0-0816 CZ

## Flush Mounted Inserts 3-pole switch with Glow lamp



General Information	
Extended Product Type	1011-0-0816 CZ
Product ID	2CHP041011A0816
EAN	8595017279317
Catalog Description	Flush Mounted Inserts 3-pole switch with Glow lamp
Long Description	Rocker switch mechanism, 3-pole, 1gang 1way, 400V, 16AX

Installation	
Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Claw Mounting with Screw

Technical	
Data Sheet, Technical	No document needed
Information	

1011-0-0816 CZ 2/3

Function	Function lighting: Illuminated (on)
Number of Gangs	1
Number of Rocker Switches	1
Wiring Configuration	3-pole switch
Action Type of the Contact Element (acc. to IEC 60947-5-1)	Basic element
Actuator Type	Rocker/button
Connection Type	Screw
Lamp Type	Glow lamp
Illumination	Optional
Battery Weight	0 g
Number of Batteries	0

# Electrical Rated Voltage (Ur) 250 V Rated Current (In) 16 A Maximum Switching Current Fluorescent Lamps 10 A

Design	
Surface Finishing	Untreated
	Matt
Material	Plastic
Label Space Provided	No
RAL Number	RAL 5010 - Gentian Blue
Color	blue

Material Compliance	
RoHS Information	2CHC663076X0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CHC663076X0201
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Degree of Protection	IP20

Dimensions	
Product Net Width	71 mm
Product Net Height	71 mm
Product Net Depth / Length	29 mm
Product Net Weight	80.1 g
Built-In Depth (t <sub>2</sub> )	20 mm

1011-0-0816 CZ 3/3

#### Ordering

Replaced Product ID 1011-0-0816 CZ (OLD)

#### **Certificates and Declarations**

Declaration of No declaration needed Conformity - CE

#### Classifications

ETIM 9	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

#### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Flush\ Mounted\ Inserts\ \rightarrow\ Mechanical\ Inserts$ 

